



## Index of Reference Sources

### Contents\_

Agricultural Chemicals .....	1
Commercial Fertilizers, Pulp Sludge and Soil Amendments.....	2
Equipment (Cleaning and Sanitation).....	3
Good Agricultural Practices .....	3
General .....	5
Growth and Survival of Pathogens on Fruits and Vegetables .....	6
Internalization/Infiltration of Pathogens into Fruits and Vegetables.....	9
Manure, Compost and Other By-Products .....	10
Personal Hygiene Facilities .....	12
Produce Related Outbreaks.....	13
Water (Agricultural).....	17
Water for Fluming and Cleaning.....	20

### Agricultural Chemicals

Anonymous. 2003. Risks and benefits of pesticide use. *International Pest Control*. 45(4): 216-221.

Cooley DR, Manning WJ. 1995. *Estimating the risks and benefits of pesticides: Considering the agroecosystem and integrated pest management in the use of EBDC fungicides on apples*. *Environmental Pollution* 88: 315-320.

United States Environmental Protection Agency. 2004. *About pesticides: Types of pesticides*. Retrieved February 22, 2005 from: <http://www.epa.gov/pesticides/about/types.htm>.

Hotchkiss JH. 1992. *Pesticide residue controls to ensure food safety*. *Critical Reviews in Food Science and Nutrition* 31(3): 191-203.

International Food Information Council. 1995. *IFIC Review: Pesticides and Food Safety*. Washington: International Food Information Council.

International Food Information Council. 2004. *Backgrounder: Agriculture and food production*. International Food Information Council, May 2004.

Lichtenberg E, Zilberman D. 2002. *Storage technology and the environment*. *Journal of Agriculture and Resource Economics* 27(1): 146-164.

Webber MD, Singh. 2003. *Contamination of agricultural soils*. Agriculture and Agri-Food Canada. Retrieved December 19, 2006 from: [http://www.agr.gc.ca/nlwis-snite/index\\_e.cfm?s1=pub&s2=hs\\_ss&page=15](http://www.agr.gc.ca/nlwis-snite/index_e.cfm?s1=pub&s2=hs_ss&page=15).

Whitford F, Mason L, Winter C. 2000. *Purdue Pesticide Programs: Pesticides and food safety*. Purdue University Cooperative Extension Service.

## Commercial Fertilizers, Pulp Sludge and Soil Amendments

Anonymous. 1997. *What we know about sludge, grate ash and lime dregs*. In: *Monitoring Solid Pulp Mill Wastes*. Reach for Unbleached. Retrieved December 19<sup>th</sup>, 2006 from: <http://www.rfu.org/MonSolid.htm#What%20We%20Know%20about%20Sludge>.

B.C. Pulp and Paper Association. 2000. *Pulp and paper mill residuals: A resource too valuable to waste*. B.C. Pulp and Paper Association.

Cabral F, Vasconcelos E, Gos MJ, Cordovil CM. 1998. *The value, use and environmental impacts of pulp-mill sludge additions to forests and agricultural lands in Europe*. *Environmental Reviews* 6: 55-64.

Forcier F. 2002. *Biosolids and bioaerosols: The current situation*. Quebec Ministry of Environment.

NWRI. 2004. *A decade of research on the environmental impact of pulp and paper mill effluents in Canada, (1992-2002)*. Retrieved December 19, 2006 from: <http://www.nwri.ca/pulpandpaper/index-e.html>.

OMRI. 2002. *Calcium hydroxide: Crops*. National Organic Standards Board Technical Advisory Panel Review.

Organix Waste Solutions Inc. 2000. *Final Report – Pulp and paper mill residual chemistry and options for regulations*. Prepared for the British Columbia Pulp and Paper Association.

## Equipment (Cleaning and Sanitation)

Gibson H, Taylor JH, Hall, KE, Holah, JT. 1999. *Effectiveness of cleaning techniques used in the food industry in terms of removal of bacterial biofilms*. Journal of Applied Microbiology 87:41-48.

Ontario Ministry of Agriculture, Food and Rural Affairs (OMAFRA). 2006. *Foods of Plant Origin. Cleaning and Sanitation Guidebook*. Retrieved December 21, 2006 from: [http://www.omafra.gov.on.ca/english/food/inspection/fruitveg/sanitation\\_guide/cleaning\\_sanitation\\_guidebook.htm](http://www.omafra.gov.on.ca/english/food/inspection/fruitveg/sanitation_guide/cleaning_sanitation_guidebook.htm)

## Good Agricultural Practices

British Columbia Fruit Grower's Association. 2004. *British Columbia Good Agricultural Practices (BCGAP) – 2. Tree Fruits*.

Castelnuovo R, Ingham S. 2001. *Reducing food safety risks in apples*. University of Wiscinson Extension, Publication G3761. Retrieved December 19, 2006 from: [http://www.uwex.edu/farmasyst/apple/apple\\_pub.pdf](http://www.uwex.edu/farmasyst/apple/apple_pub.pdf).

Reitmeier C, Glatz, B, Boylston T, Wilson L, Mendonca A, Gleason M, Jensen H, Becker J. 2003. *Apple Update: Safety, quality, and sustainability of small-farm production of apples and cider – An overview of research conducted at Iowa State University*. Iowa State University. Retrieved December 19, 2006 from: <http://www.foodsafety.iastate.edu/apple/files/progress/appleupdate.pdf>.

Chicken Farmers of Canada. 2003. *Safe, safer, safest*.

Canadian Produce Marketing Association. 2004. *Repacking and wholesale food safety standard for fresh fruits and vegetables (1st Ed.)*.

Lettuce/Leafy Greens Industry (United States). 2006. *Commodity specific food safety guidelines for the lettuce and leafy greens supply chain (1st ed.)*. Retrieved October 24, 2006 from: <http://www.cfsan.fda.gov/~acrobat/lettsup.pdf>.

North American Tomato Trade Work Group. 2006. *Commodity specific food safety guidelines for the fresh tomato supply chain (1st ed.)*. Retrieved October 24, 2006 from: <http://www.cfsan.fda.gov/~dms/tomatsup.html>.

Penn State College of Agricultural Sciences. 2004. Good management practices for safe apple growing, packing and cider production: Orchard Operations. In: *Pennsylvania Tree Fruit Production Guide (2004-2005) - Part VIII*  
- *Maintaining the safety of Pennsylvania apples and apple products*. Penn State University.

Penn State College of Agricultural Sciences. 2004. Good management practices for safe apple growing, packing and cider production: Packing Operations. In: *Pennsylvania Tree Fruit Production Guide (2004-2005) - Part VIII*  
- *Maintaining the safety of Pennsylvania apples and apple products*. Penn State University.

Produce Industry Food Safety Initiative (United States). 2005. *Commodity specific food safety guidelines for the melon supply chain (1st ed.)*. Retrieved October 24, 2006 from: <http://www.uffva.org/PDF/MelonCommoditySpecific.pdf>.

Rangarajan A, Bihn EA, Gravani RB, Scott DL, Pritts MP. 2000. *Cornell Good Agricultural Practices Program: Food safety begins on the farm - A grower's guide*. Retrieved December 19, 2006 from: <http://www.sfc.ucdavis.edu/pubs/articles/foodsafetybeginsonthefarm.pdf>.

Rushing, J.W., F.J. Angulo and L. Beuchat. 1996. Implementation of a HACCP program in a commercial fresh-market tomato packinghouse: A model for the industry. *Dairy Food Environ. Sanitat.* 16:549-553

U.S. Food and Drug Administration (FDA). 1999. *Report of 1997 inspections of fresh, unpasteurized apple cider manufacturers*. Center for Food Safety and Applied Nutrition. Retrieved February 22, 2005 from: <http://vm.cfsan.fda.gov/~dms/ciderrp3.html>.

U.S. Food and Drug Administration/ Center for Food Safety and Applied Nutrition (CFSAN). 2003. *The guide at a glance: The guide to minimize microbial food safety hazards for fresh fruits and vegetables in brief*. Center for Food Safety and Applied Nutrition. Retrieved February 22, 2005 from: <http://vm.cfsan.fda.gov/~dms/prodglan.html>.

U.S. Food and Drug Administration/ U.S Department of Agriculture/Center for Food Safety and Applied Nutrition (CFSAN). 1998. *Guidance for industry. Guide to minimize microbial food safety hazards for fresh fruits and vegetables*. Retrieved February 22, 2005 from: <http://vm.cfsan.fda.gov/~dms/prodguid.html>.

## General

Agriculture and Agri-Food Canada [AAFC] (2002) *Commercial storage of fruits and vegetables*. Retrieved September 19, 2005 from: [http://www.agr.gc.ca/cal/epub/1532e/1532\\_toc\\_e.html](http://www.agr.gc.ca/cal/epub/1532e/1532_toc_e.html).

Arthur L, Jones S, Fabri M, Odumeru J. 2007. Microbial survey of selected Ontario-grown fresh fruits and vegetables. *Journal of Food Protection* 70(12): 2864-2867.

Chirife J, Del Pilar Buera M. 1994. *Water activity, glass transition and microbial stability in concentrated/semimoist food systems*. *Journal of Food Science* 59(5): 921-927.

Codex 2003. Code of Hygienic Practice for fresh fruits and vegetables. Codex Alimentarius Commission Publication #CAC/RCP 53-2003

Dawson D. 2003. *Foodborne protozoan parasites*. Ilsi Europe Report Series, June 2003. Retrieved March 31, 2005 from: <http://northamerica.ilsa.org/file/RPFoodbornePara.pdf>.

Brock TD, Madigan MT, Martinko JM, Parker J. 1994. *Biology of Microorganisms (7<sup>th</sup> ed., pp. 339-341)*. New Jersey: Prentice Hall.

Cole-Parmer's FoodTechSource. 2005. *Water Activity*. Retrieved April 14, 2005 from: [http://www.foodtechsource.com/rcenter/tech\\_data/td\\_water.htm](http://www.foodtechsource.com/rcenter/tech_data/td_water.htm).

De Roever. 1999. *Microbiological safety evaluations and recommendations on fresh produce*. *Food Control* 10:117-143.

Food Safety Network. 2005. *Factsheet: What is acrylamide?* Retrieved December 19, 2006 from: [http://www.foodsafetynetwork.ca/articles/533/acrylamide\\_factsheet.pdf](http://www.foodsafetynetwork.ca/articles/533/acrylamide_factsheet.pdf).

Food and Agriculture Organization of the United Nations (FAO)/World Health Organization (WHO). 2008. Microbiological hazards in fresh fruits and vegetables. Meeting Report. Microbiological Risk Assessment Series. Retrieved July 25, 2009 from: [www.fao.org/ag/agn/agns/files/FFV\\_2007\\_Final.pdf](http://www.fao.org/ag/agn/agns/files/FFV_2007_Final.pdf)

Odumeru JA, Mitchell SJ, Alves DM, Lynch JA, Yee AJ, Wang SL, Styliadis S, Farber JM. 1997. *Assessment of the microbiological quality of ready-to-use vegetables for health-care food services*. *Journal of Food Protection* 60(8): 954- 960.

Warriner K, Ibrahim F, Dickinson M, Wright C, Waites WM. 2005. Seed decontamination as an intervention step for eliminating *Escherichia coli* on salad vegetables. *Journal of the Science of Food and Agriculture* 85:2307-2313.

Zohar-Picciano H. 2002. *Handling consumer complaints regarding green or off- taste potatoes*. Plant Products Directorate, Food of Plant Origin, Canadian Food Inspection Agency.

## Growth and Survival of Pathogens on Fruits and Vegetables

Allwood PB, Malik YS, Maherchandani S, Vought K, Johnson L, Braymen, C, Hedberg, CW, Goyal SM. 2004. *Occurrence of Escherichia coli, noroviruses, and F-specific coliphages in fresh market-ready produce*. Journal of Food Protection 67(11): 2387–2390.

Asplund K, Nurmi E. 1991. *The growth of salmonellae in tomatoes*. International Journal of Food Microbiology 13: 177-182.

Bartz JA. 1999. *Washing fresh fruits and vegetables: Lessons from treatment of tomatoes and potatoes with water*. Dairy, Food and Environmental Sanitation 19(12): 853-864.

Beuchat LR, Brackett RE. 1991. *Behavior of Listeria monocytogenes inoculated into raw tomatoes and processed tomato products*. Applied and Environmental Microbiology 57(5): 1367-1371.

Buck JW, Walcott R, Beuchat LR. 2003. *Recent trends in microbiological safety of fruits and vegetables*. Plant Health Progress. Retrieved December 19, 2006 from: <http://www.apsnet.org/online/feature/safety/Buck.pdf>.

Burnett SL, Chen J, Beuchat LR. 2000. *Attachment of Escherichia coli O157:H7 to the surfaces and internal structures of apples as detected by confocal scanning laser microscopy*. Applied and Environmental Microbiology 66(11): 4679-4687.

Cantwell, M. and X. Nie. 1996. Use of heat treatments to control postharvest pathogens on tomatoes and melons. DANR Pub #3356

Chancellor DD, Tyagi S, Bazaco MC, Bacvinskas S, Chancellor MB, Dato VM, De Miguel F. 2006. *Green onions: Potential mechanism for hepatitis A contamination*. Journal of Food Protection, 69(6): 1468-1472.

Del Rosario BA, Beuchat LR. 1995. *Survival and growth of enterohemorrhagic Escherichia coli O157:H7 in cantaloupe and watermelon*. Journal of Food Protection 58(1): 105-107.

Delaquis P, Stewart S, Cazaux S, Toivonen P. 2002. *Survival and growth of Listeria monocytogenes and Escherichia coli O157:H7 in ready-to-eat iceberg lettuce washed in warm chlorinated water.* Journal of Food Protection 65(3): 459- 464.

Dingman DW. 2000. *Growth of Escherichia coli O157:H7 in bruised apple (Malus domestica) tissue as influenced by cultivar, date of harvest and source.* Applied and Environmental Microbiology 66(3): 1077-1083.

Espinoza-Medina IE, Rodrigues-Leyva FJ, Vargas-Arispuro I, Islas-Osuna MA, Acedo-Felix E, Martinez-Tellez MA. 2006. *PCR identification of Salmonella: Potential contamination sources from production and postharvest handling of cantaloupes.* Journal of Food Protection 69(6): 1422-1425.

Fernandez Escartin E, Castillo Ayala A, Lozano JS. 1989. *Survival and growth of Salmonella and Shigella on fresh fruit.* Journal of Food Protection 52(7): 471- 472.

Garcia-Villanova Ruiz B, Galvez Vargas R, and Garcia-Villanova R. 1987. *Contamination on fresh vegetables during cultivation and marketing.* International Journal of Food Microbiology 4:285-291.

Guo X, Chen J, Brackett RE, Beuchat LR. 2001. *Survival of Salmonellae on and in tomato plants from the time of inoculation at flowering and early stages of fruit development through fruit ripening.* Applied and Environmental Microbiology 67(10): 4760-4764.

Hsu W-Y, Simonne A, Jitareerat P. 2006. *Fates of seeded Escherichia coli O157:H7 and Salmonella on selected fresh culinary herbs during refrigerated storage.* Journal of Food Protection 69(8): 1997-2001.

Janisiewicz WJ, Conway WS, Brown MW, Sapers GM, Fratamico P, Buchanan RL. 1999. *Fate of Escherichia coli O157:H7 on fresh-cut apple tissue and its potential for transmission by fruit flies.* Applied and Environmental Microbiology 65(1): 1-5.

Kenney SJ, Burnett SL, Beuchat LR. 2001. *Location of Escherichia coli O157:H7 on and in apples as affected by bruising, washing and rubbing.* Journal of Food Protection 64(9): 1328-1333.

Kniel KE, Lindsay DS, Sumner SS, Hackney CR, Pierson MD, Dubey JP. 2002. *Examination of attachment and survival of Toxoplasma gondii oocysts on raspberries and blueberries.* Journal of Parasitology 88(4):790-793.

Knudsen DM, Yamamoto SA, Harris LJ. 2001. *Survival of Salmonella spp. and Escherichia coli 0157:H7 on fresh and frozen strawberries.* Journal of Food Protection 64(10): 1483-1488.

Liao C-H, Sapers GM. 1999. *Influence of soft rot bacteria on growth of Listeria monocytogenes on potato tuber slices.* Journal of Food Protection 62(4): 343- 348.

Natvig EE, Ingham SC, Ingham B, Cooperband L, Roper TR. 2002. *Salmonella enterica serovar typhimurium and Escherichia coli contamination of root and leaf vegetables grown in soils with incorporated bovine manure.* Applied and Environmental Microbiology 68(6): 2737-2744.

Park CM, Beuchat LR. 1999. *Evaluation of sanitizers for killing Escherichia coli 0157:H7, Salmonella, and naturally occurring microorganisms on cantaloupes, honeydew melons and asparagus.* Dairy, Food and Environmental Sanitation 19(12): 842-847.

Richards GM, Beuchat LR. 2004. *Attachment of Salmonella poona to cantaloupe rind and stem scar tissues as affected by temperature of fruit and inoculum.* Journal of Food Protection 67(7):1359-1364.

Richert KJ, Albrecht JA, Bullerman LB, Sumner SS. 2000. *Survival and growth of Escherichia coli 0157:H7 on broccoli, cucumber, and green pepper.* Dairy, Food and Environmental Sanitation 20(1): 24-28.

Riordan DCR, Sapers GM, Hankinsson TR, Magee M, Mattrazzo AM, Annous BA. 2001. *A study of U.S. orchards to indentify potential sources of Escherichia coli 0157:H7.* Journal of Food Protection 64(9): 1320-1327.

Satchell FB, Stephenson P, Andrews WH, Estela L, Allen, G. 1990. *The survival of Shigella sonnei in shredded cabbage.* Journal of Food Protection 53:558-562.

Ukuku DO, Fett WF. 2006. *Effects of cell surface charge and hydrophobicity on attachment of 16 Salmonella serovars to cantaloupe rind and decontamination with sanitizers.* Journal of Food Protection 69(8): 1835-1843.

Wei CI, Huang TS, Kim JM, Lin WF, Tamplin ML, Bartz JA. 1995. *Growth and survival of salmonella Montevideo on tomatoes and disinfection with chlorinated water.* Journal of Food Protection 58(8): 829-836.

Wells JM, Butterfield JE. 1997. *Salmonella contamination associated with bacterial soft rot of fresh fruits and vegetables in the marketplace.* Plant Disease 81: 867-872.

Yu K, Newman MC, Archbold DD, Hamilton-Kemp T. 2001. *Survival of Escherichia coli 0157:H7 on strawberry fruit and reduction of the pathogen population by chemical agents.* Journal of Food Protection 64(9):1334-1340.



Zhuang RY, Beuchat LR, Angulo FJ. 1995. *Fate of Salmonella Montevideo on and in raw tomatoes as affected by temperature and treatment with chlorine*. Applied and Environmental Microbiology 61(6): 2127-2131.

## Internalization/Infiltration of Pathogens into Fruits and Vegetables

Bartz JA, Showalter RK. 1981. *Infiltration of tomatoes by aqueous bacterial suspensions*. Phytopathology 71(5): 515-518.

Bartz JA. 1999. *Washing fresh fruits and vegetables: Lessons from treatment of tomatoes and potatoes with water*. Dairy, Food and Environmental Sanitation 19(12): 853-864.

Buchanan RL, Edelson SG, Miller RL, Sapers GM. 1999. *Contamination of intact apples after immersion in an Aqueous environment containing Escherichia coli O157:H7*. Journal of Food Protection 62(5): 444-450.

Dingman DW. 2000. *Growth of Escherichia coli O157:H7 in bruised apple (Malus domestica) tissue as influenced by cultivar, date of harvest and source*. Applied and Environmental Microbiology 66(3): 1077-1083.

Farber JM, Wang SL, Cai Y, Zhang S. 1998. *Changes in population of Listeria monocytogenes inoculated on packaged fresh-cut vegetables*. Journal of Food Protection 61(2): 192-195.

Ibarra-Sanchez LS, Alvarado-Casillas S, Rodriguez-Gracia MO, Martinez- Gonzales NE, Castillo A. 2004. *Internalization of bacterial pathogens in tomatoes and their control by selected chemicals*. Journal of Food Protection 67(7): 1352-1358.

Suslow T. N.D. Key factors regarding the practice of heating dump tank and flume water for postharvest quality and safety of fresh market tomatoes are summarized. *Key points of control and management of microbial food safety for growers, packers, and handlers of fresh market tomatoes*. University of California Davis Vegetable Research Center. Retrieved July 23, 2009 from: [www.postharvest.ucdavis.edu/datastorefiles/234-30.pdf](http://www.postharvest.ucdavis.edu/datastorefiles/234-30.pdf)

Janes ME, Kim KS, Johnson MG. 2005. *Transmission electron microscopy study of enterohemorrhagic Escherichia coli O157:H7 in apple tissue*. Journal of Food Protection 68(2): 216-224.

Janisiewicz WJ, Conway WS, Brown MW, Sapers GM, Fratamico P, Buchanan RL. 1999. *Fate of Escherichia coli O157:H7 on fresh-cut apple tissue and its potential for transmission by fruit flies*. Applied and Environmental Microbiology 65(1): 1-5.

Kasmire RF. 1971. *Hot water treatments for tomatoes*. Fruit and Vegetable Perishables and Handling 29: 3-4.

Riordan DCR, Sapers GM, Hankinsson TR, Magee M, Mattrazzo AM, Annous BA. 2001. *A study of U.S. orchards to identify potential sources of Escherichia coli O157:H7*. Journal of Food Protection 64(9): 1320-1327.

Seeman BK, Sumner SS, Marini R, Kniel KE. 2002. *Internalization of Escherichia coli in apples under natural conditions*. Dairy, Food and Environmental Sanitation 22(9): 667-673.

Zhuang RY, Beuchat LR, Angulo FJ. 1995. *Fate of Salmonella Montevideo on and in raw tomatoes as affected by temperature and treatment with chlorine*. Applied and Environmental Microbiology 61(6): 2127-2131.

## Manure, Compost and Other By-Products

Compost Council of Canada. *Setting the standard: a summary of composting standards in Canada*. Retrieved December 19, 2006 from: <http://www.compost.org/standard.html>.

Fertilizers Act, R.S. 1985, c. F-10. Retrieved December 19, 2006 from: <http://laws.justice.gc.ca/en/F-10/>.

Fertilizers Regulations, C.R.C., c. 666. Retrieved December 19, 2006 from: <http://laws.justice.gc.ca/en/F-10/C.R.C.-c.666/>.

Guan TY, Holley RA. 2003. *Pathogen survival in swine manure environments and transmission of human enteric illness*. Journal of Environmental Quality 32: 383-392.

Guo X, Chen J, Brackett RE, Beuchat LR. 2001. *Survival of Salmonellae on and in tomato plants from the time of inoculation at flowering and early stages of fruit development through fruit ripening*. Applied and Environmental Microbiology 67(10): 4760-4764.

- Himathongkham S, and Riemann H. 1999. *Destruction of Salmonella typhimurium, Escherichia coli O157:H7 and Listeria monocytogenes in chicken manure by drying and/or gassing with ammonia*. FEMS Microbiology Letters 171(2): 179-182.
- Himathongkham S, Bahari S, Riemann H, Cliver D. 1999. *Survival of Escherichia coli O157:H7 and Salmonella typhimurium in cow manure and cow manure slurry*. FEMS Microbiology Letters 178: 251-257.
- Himathongkham S, Nuanualsuwan S, Riemann H. 1999. *Survival of Salmonella enteritidis and Salmonella typhimurium in chicken manure at different levels of water activity*. FEMS Microbiology Letters 172: 159-163.
- Islam M, Morgan J, Doyle M, Jiang X. 2004c. *Fate of Escherichia coli in manure compost-amended soil and on carrots and onions grown in an environmentally controlled growth chamber*. Journal of Food Protection 67(3): 574-578.
- Islam M, Morgan J, Doyle M, Phatak SC, Millner P, Jiang X. 2004a. *Persistence of Salmonella enterica serovar Typhimurium on lettuce and parsley and in soils on which they were grown in fields treated with contaminated manure composts or irrigation water*. Foodborne Pathogens and Disease 1(1): 27-35.
- Islam M, Morgan J, Doyle M, Phatak SC, Millner P, Jiang X. 2004b. *Fate of Salmonella enterica serovar Typhimurium on carrots and radishes grown in fields treated with contaminated manure composts or irrigation water*. Applied and Environmental Microbiology 70(4): 2497-2502.
- Jiang X, Morgan J, Doyle M. 2003. *Thermal inactivation of Escherichia coli O157:H7 in cow manure compost*. Journal of Food Protection 66(10): 1771-1777.
- Kudva, I.T., Blanch, K. and Hovde, C.J. 1998. *Analysis of Escherichia coli O157:H7 in ovine or bovine manure and manure slurry*. Applied and Environmental Microbiology 64(9): 3166-31374.
- Lung AJ, Lin CM, Kim JM, Marshall MR, Nordstedt, R, Thompson NP, Wei CI. 2001. *Destruction of Escherichia coli O157:H7 and Salmonella enteritidis in cow manure composting*. Journal of Food. Protection 64(9): 1309-1314.
- Mamaril C, Gonzales V, Olegario A, Obcema W. 1999. *Integrated plant nutrient management systems in the Philippines: Review and analysis*. Fertilizer Advisory, Development and Information Network for Asia and the Pacific [FADINAP]. Retrieved December 19, 2006 from: <http://www.fadinap.org/ipns/philreview/>.
- Mubiru DN, Coyne MS, Grove JH. 2000. *Mortality of Escherichia coli O157:H7 in two soils with different physical and chemical properties*. Journal of Environmental Quality 29: 1821-1825.

Natvig EE, Ingham SC, Ingahm B, Cooperband LR, Roper TR. 2002. *Salmonella enterica serovar Typhimurium and Escherichia coli contamination of root and leaf vegetables grown in soils with incorporated bovine manure*. Applied and Environmental Microbiology 68(6): 2737-2744.

Saskatchewan Environment and Resource Management [SERM]. 1997. *Surface water quality objectives (reprinted)*. Regina: SERM MB110.

Solomon EB, Yaron S, Matthews KR. 2002. *Transmission of Escherichia coli O157:H7 from contaminated manure and irrigation water to lettuce plant tissue and its subsequent internalization*. Applied and Environmental Microbiology 68(1): 397-400.

Wang G, Zhao T, Doyle MP. 1996. *Fate of enterohemorrhagic Escherichia coli O157:H7 in bovine feces*. Applied and Environmental Microbiology 62(7): 2567- 2570.

Warriner K, Ibrahim F, Dickinson M, Wright C, Waites WM. 2003b. *Interaction of Escherichia coli with growing salad spinach plants*. Journal of Food Protection 66(10): 1790-1797.

Warrington PD. 2001. *Water Quality: Water Quality Criteria for Microbiological Indicators - Overview Report*. Government of British Columbia, Environmental Protection Division. Retrieved December 19, 2006 from: <http://www.env.gov.bc.ca/wat/wq/BCguidelines/microbiology/microbiology.html>.

## Personal Hygiene Facilities

Courtenay M, Ramirez L, Cox B, Han I, Jiang X, Dawson P. 2005. *Effects of various hand hygiene regimes on removal and/or destruction of Escherichia coli on hands*. Food Science Technology 5: 77-84.

de Aceituno, Anna Fabiszewski; Bartz, Faith E.; Hodge, Domonique Watson; Shumaker, David J.; Grubb, James E.; Arbogast, James W.; Dávila-Aviña, Jorgé; Venegas, Fabiola; Heredia, Norma; García, Santos; Leon, Juan S. 2015. *Ability of hand hygiene interventions using alcohol-based hand sanitizers and soap to reduce microbial load on farmworker hands soiled during harvest*. J. Food Prot. 78(11): 2024-2032. [http://www.foodprotect.org/issues/packets/2016Packet/attachments/III\\_010\\_support\\_c.pdf](http://www.foodprotect.org/issues/packets/2016Packet/attachments/III_010_support_c.pdf)

Kramer A, Rudolph P, Kampf G, Pittet D. 2002. *Limited efficacy of alcohol-based hand gels*. The Lancet 359: Apr 27, 1489-1490.

Michaels B, Gangar V, Lin C-M, Doyle M. 2003. *Use limitations of alcoholic instant hand sanitizer as part of a food service hand hygiene program*. Food Service

Technology 3(2): 71-80.

Montville R, Chen YH, Schaffner DW. 2002. *Risk assessment of hand washing efficacy using literature and experimental data*. International Journal of Food Microbiology 73(2-3): 305–313.

Picheansathian W. 2004. *A systematic review on the effectiveness of alcohol-based solutions for hand hygiene*. International Journal of Nursing Practice 10(3): 3-9.

Snyder OP. 1998. *Hand washing for retail food operations: A review*. Dairy, Food and Environmental Sanitation 18(3): 149-162.

Taylor County. Privy Construction: Taylor County recommendations for the construction of the sanitary privy. Retrieved December 19, 2006 from: <http://www.co.taylor.wi.us/departments/zoning/privy.html>.

Todd, E.C., B.S. Michaels, J. Holah, D. Smith, J.D. Greig, and C.A. Bartleson. 2010b. *Outbreaks where food workers have been implicated in the spread of foodborne disease. Part 10. alcohol-based antiseptics for hand disinfection and a comparison of their effectiveness with soap*. J. Food Prot. 73 (11):2128-2140.  
<http://www.ingentaconnect.com/content/iafp/jfp/2010/00000073/00000011/art00026>

U.S. Food and Drug Administration [FDA]. 2003. Toilet and sewage disposal facilities: Earth pit privy. In: *Grade "A" Pasteurized Milk Ordinance (2003 Revision)*. Retrieved December 19, 2004 from: <http://www.cfsan.fda.gov/~ear/pmo03c.html>.

## Produce Related Outbreaks

Centers for Disease Control and Prevention. 1991. *Epidemiologic notes and reports: multistate outbreak of Salmonella Poona infections - United States and Canada, 1991*. MMWR 40(32): 549-552.

Centers for Disease Control and Prevention. 1993. *Multistate outbreak of Salmonella serotype Montevideo infections*. EPI-AID 93-79.

Centers for Disease Control and Prevention. 1997. *Update: Outbreaks of Cyclosporiasis - United States, 1997*. MMWR 46(21): 461-462.

Centers for Disease Control and Prevention. 2000. *Escherichia coli O111:H8 outbreak among teenage campers - Texas, 1999*. MMWR 49(15): 321-324.

Centers for Disease Control and Prevention. 2002. *Multistate outbreaks of*

*Salmonella* serotype poona infections associated with eating cantaloupe from Mexico - United States and Canada, 2000-2002. MMWR 51:1044-1047.

Centers for Disease Control and Prevention. 2002. *Outbreak of Salmonella serotype javiana infections - Orlando, Florida, June 2002*. MMWR: 51(31): 683- 684.

Centers for Disease Control and Prevention. 2003. *Hepatitis A outbreak associated with green onions at a restaurant - Monaca, Pennsylvania, 2003*.MMWR. 52(47): 1155-1157.

Centers for Disease Control and Prevention. 1997. *Update: Outbreaks Of Cyclosporiasis - United States And Canada, 1997*. MMWR 46(23): 521-523.

Chapman PA, Siddons CA, Manning J, Cheetham C. 1997. *An outbreak of infection due to verocytotoxin-producing Escherichia coli O157 in four families: the influence of laboratory methods on the outcome of the investigation*. Epidemiology and Infection 119: 113-119.

Cronquist A. 2002. *Multi-state outbreak of Salmonella senftenberg associated with green grapes - Western states, Fall 2001* (presentation). Retrieved December 19, 2006 from: [http://ftp.cdc.gov/pub/infectious\\_diseases/iceid/2002/pdf/cronquist.pdf](http://ftp.cdc.gov/pub/infectious_diseases/iceid/2002/pdf/cronquist.pdf).

Del Rosario BA, Beuchat LR. 1995. *Survival and growth of enterohemorrhagic Escherichia coli O157:H7 in cantaloupe and watermelon*. Journal of Food Protection 58(1): 105-107.

Dentinger C, Bower W, Nainan O. 2001. *An outbreak of hepatitis A associated with green onions*. Journal of Infectious Disease 183(8): 1273-1276.

DeWaal, CS, Johnson, K, Bhuiya, F. 2006. *Outbreak Alert. Closing the gaps in our food safety net (8th ed)*. Center for Science in the Public Interest. Retrieved December 20, 2006 from:

Florida Department of Health. 1997. *Foodborne Illness Surveillance and Investigation Annual Report, Florida, 1997*. Retrieved December 19, 2006 from: <http://www.doh.state.fl.us/ENVIRONMENT/community/foodsurveillance/pdfs/1997report.pdf>.

Florida Department of Health. 1998. *Foodborne Illness Surveillance and Investigation Annual Report, Florida, 1998*. Retrieved December 19, 2006 from: <http://www.doh.state.fl.us/ENVIRONMENT/COMMUNITY/foodsurveillance/pdfs/1998report.pdf>.

Fraser HW. 2003. *Factsheet: Temporary field storage of solid manure or prescribed materials*. Ontario Ministry of Agriculture November 2003.

Gast KLB, Janke R, Holt K. 2000. *Minimizing microbial food safety hazards for fresh*

*fruit and vegetables, manures & biosolids*. Retrieved December 20, 2006 from <http://www.oznet.ksu.edu/library/hort2/mf2483.pdf>.

Griffin PM, Tauxe RV. 1999. Surveillance for outbreaks of *Escherichia coli* O157:H7 infection summary of 1998 data. Center for Disease Control and Prevention. Retrieved August 10, 2001 from: <http://www.cdc.gov/ncidod/dbmd/diseaseinfo/csteec98.htm>.

Guan TY, Holley RA. 2003. *Pathogen survival in swine manure environments and transmission of human enteric illness – A Review*. *Journal of Environmental Quality* 32: 383-392.

Hilborn ED, Mermin JH, Mshar PA, Hadler JL, Voetsch A, Wojtkunski C, Swartz M, Mshar R, Lambert-Fair M, Farrar JA, Glynn MK, Slutsker L. 1999. *A multistate outbreak of Escherichia coli O157:H7 infections associated with consumption of mesclun lettuce*. *Archives on Internal Medicine* 59: 1758-1764.

Katz DJ, Cruz MA, Trepka MJ, Suarez JA, Fiorella PD, Hammond RM. 2002. *An outbreak of typhoid fever in Florida associated with an imported frozen fruit*. *The Journal of Infectious Diseases* 186: 234-239.

Lund BM, Snowdon AL. 2000. Fresh and processed fruits. In: Lund BM, Baird- Parker TC, Gould GW(eds.). *The microbiological safety and quality of food* (Vol. 1, pp. 738-758). Gaithersburg: Aspen Publication.

Mitcheam, B. and M. Cantwell. 1995. Heat treatments for control of postharvest decay. *US Perish. Handling Newsletter* 82:13-16.

Minnesota Department of Health. 1999. *Annual summary of communicable diseases reported to the Minnesota Department of Health, 1998*. 27(3): 13-32.

Minnesota Department Of Health. 2002. *Minnesota Department of Health 2002 gastroenteritis outbreak summary*. Retrieved December 19, 2002 from: <http://health.state.mn.us/divs/idepc/dtopics/foodborne/outbreaks2002.pdf>.

Muskoka-Parry Sound Health Unit. 2002. Personal Communication.

Pennsylvania Department of Health. 2004. *Health Update#05-04: Second Salmonella serotype with human cases is now associated with tomatoes eaten at Sheetz*. Retrieved December 19, 2006 from: <http://www.dsf.health.state.pa.us/health/cwp/view.asp? A=171&Q=238969>.

Pollack MP. 2000. *Foodborne Illness, Diagnosed - USA Colorado June 29, 2000*. Retrieved December 19, 2006 from: [http://www.promedmail.org/pls/promed/f?p=2400:1202:5046019855422946411::NO::F2400\\_P1202\\_CHECK\\_DISPLAY,F2400\\_P1202\\_PUB\\_MAIL\\_ID:X,9184](http://www.promedmail.org/pls/promed/f?p=2400:1202:5046019855422946411::NO::F2400_P1202_CHECK_DISPLAY,F2400_P1202_PUB_MAIL_ID:X,9184).

Richardson K, George B. 2001. *A bulletin for the Australian food industry: Pathogens in fresh fruit and vegetables*. Food Safety & Hygiene, Food Science Australia. Retrieved April 4, 2005 from: <http://www.foodscience.afisc.csiro.au/fshbull/fshbull27b.htm>.

Richardson K, George B. 2001. *A bulletin for the Australian food industry: Preservation of vegetables in oil and vinegar*. Food Safety & Hygiene, Food Science Australia. Retrieved April 4, 2005 from: <http://www.foodscience.afisc.csiro.au/fshbull/fshbull27d.htm>.

Sewell AM, Farber JM. 2001. *Foodborne outbreaks in Canada linked to produce*. Journal of Food Protection 64:1863-1877.

Sivapalisingam S, Friedman CR, Cohen L, Tauxe R. 2004. *Fresh produce: A growing cause of outbreaks of foodborne illness in the United States, 1973-1997*. Journal of Food Protection 67(10): 2342-2353.

Texas Department of Health. 1997. *Outbreaks of Cyclospora infections*. Disease Prevention News 57(11). Retrieved December 19, 2006 from: <http://www.dshs.state.tx.us/idcu/health/dpn/issues/dpn57n11.pdf>.

U.S. Department of Health and Human Services. 1999. *Consumers advised of risks associated with raw sprouts*. Retrieved December 19, 2006 from : <http://vm.cfsan.fda.gov/~lrd/hhssprts.html>.

US. Food and Drug Administration [FDA]. 2001. *Outbreaks Associated with Fresh Produce: Incidence, Growth, and Survival of Pathogens in Fresh and Fresh-Cut Produce*. In: *Analysis and evaluation of preventive control measures for the control and reduction/elimination of microbial hazards on fresh and fresh-cut produce*. U.S. Food and Drug Administration.

Wood RC, Hedburg C, White K. 1991. *A multistate outbreak of Salmonella javiana associated with raw tomatoes (Abstract)*. CDC, Epidemic Intelligence Service 40th Annual Conference, Atlanta, GA.

Yanoshak H. 2002, October 13. *Steakhouse reopens after salmonella outbreak*. *The Courier Times (Roxborough)*.



## Water (Agricultural)

Alberta Environment. 1999. *Surface water quality guidelines for use in Alberta*. Environmental Assurance Division, Science and Standards Branch.

Asano T. 1989. Irrigation with reclaimed municipal wastewater: California experiences. In: Bouchet, R. (ed.). *Reuse of low quality water for irrigation* (pp. 119-132). Bari: CIHEAM-IAMB (Options Méditerranéennes : Série A. Séminaires Méditerranéens).

Barbier D, Perrine D, Duhamel C, Doublet R, Georges P. 1990. *Parasitic hazard with sewage sludge applied to land*. Applied and Environmental Microbiology 1420-1422.

Blumenthal UJ, Mara DD, Peasey A, Ruiz-Palacios G, Stott R. 2000. *Guidelines for the microbiological quality of treated wastewater used in agriculture: recommendations for revising WHO guidelines*. Bulletin of the World Health Organization 78(9): 1104-1116.

Buswell CM, Herlihy YM, Lawrence LM, McGuiggan JTM, Marsh PD, Keevil CW, Leach SA. 1998. *Extended survival and persistence of Campylobacter spp. in water and aquatic biofilms and their detection by immunofluorescent-antibody and -rRna staining*. Applied and Environmental Microbiology 64(2): 733-741.

CDC. 1997. *CDC: Water in pest spray likely source of Cyclospora in outbreak*. Cooperative Extension University Of California. Environmental Toxicology Newsletter 17(2). Retrieved December 19, 2002 from: [http://extoxnet.orst.edu/newsletters/n172\\_97.htm](http://extoxnet.orst.edu/newsletters/n172_97.htm).

Duffy EA, Lucia LM, Kells JM, Castillo A, Pillai SD, Acuff GR. 2005. *Concentration of Escherichia coli and genetic diversity and antibiotic resistance profiling of salmonella isolated from irrigation water, packing shed equipment, and fresh produce in Texas*. Journal of Food Production 68(1): 70-79.

Gorny JY. 2002. "Association of Escherichia coli O157:H7 with preharvest leaf lettuce upon exposure to contaminated irrigation water," A comment on: *Journal of Food Protection* 65(1):18-25 (2002) [Letter to the editor]. *Journal of Food Protection*, 65(5): 741.

Guan TY, Blank G, Ismond A, Van Acker R. 2001. *Fate of foodborne bacterial pathogens in pesticide products*. *Journal of the Science of Food and Agriculture* 81: 503-512.

Guan TTY, Blank G, Holley RA. 2005. *Survival of pathogenic bacteria in pesticide solutions and on treated tomato plants*. *Journal of Food Protection* 68(2): 296-304.

- Guo X, Chen J, Brackett RE, Beuchat LR. 2001. *Survival of Salmonellae on and in tomato plants from the time of inoculation at flowering and early stages of fruit development through fruit ripening*. Applied and Environmental Microbiology 67(10): 4760-4764.
- Islam M, Morgan J, Doyle M, Phatak SC, Millner P, Jiang X. 2004a. *Persistence of Salmonella enterica serovar Typhimurium on lettuce and parsley and in soils on which they were grown in fields treated with contaminated manure composts or irrigation water*. Foodborne Pathogens and Disease 1(1): 27-35.
- Islam M, Morgan J, Doyle M, Phatak SC, Millner P, Jiang X. 2004b. *Fate of Salmonella enterica serovar Typhimurium on carrots and radishes grown in fields treated with contaminated manure composts or irrigation water*. Applied and Environmental Microbiology 70(4): 2497-2502.
- Jiang X, Morgan J, Doyle M. 2003. *Thermal inactivation of Escherichia coli O157:H7 in cow manure compost*. Journal of Food Protection 66(10): 1771-1777.
- Karapinar M, Gonul SA. 1991. *Survival of Yersinia enterocolitica and Escherichia coli in spring water*. International Journal of Food Microbiology 13: 315-320.
- Liberti L, Notarnicola. 1999. *Advanced treatment and disinfection for municipal wastewater reuse in agriculture*. Water Science and Technology 40(4-5): 235- 245.
- Mitscherlich E, Marth EH. 1984. *Microbial survival in the environment*. New York: Springer-Verlag.
- Moore BC, Martinez E, Gay JM, Rice DH. 2003. *Survival of Salmonella enterica in Freshwater and Sediments and Transmission by the Aquatic Midge Chironomus tentans (Chironomidae: Diptera)*. Applied and Environmental Microbiology 69(8): 4556–4560. Retrieved December 19, 2006 from: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=169145>.
- Rollins DM, Collwell RR. 1986. *Viable but nonculturable stage of Campylobacter jejuni and its role in the natural aquatic environment*. Applied and Environmental Microbiology 52: 531-538.
- Saskatchewan Environment and Resource Management [SERM]. 1997. *Surface water quality objectives (reprinted)*. Regina: SERM MB110.
- Shaefer K, Exall K, Marsalek J. 2004. *Water reuse and recycling in Canada: A status and needs assessment*. Canadian Water Resources Journal 29(3): 195- 208.
- Sheik B, Cooper RC, Israel KE. 1999. *Hygienic evaluation of reclaimed water used to irrigate food crops – A case study*. Water Science and Technology 40(4- 5): 261-267.

- Solomon EB, Potenski CJ, Matthews KR. 2002. *Effect of irrigation method on transmission to and persistence of Escherichia coli O157:H7 on lettuce*. Journal of Food Protection 65(40): 673-676.
- Solomon EB, Yaron S, Matthews KR. 2002. *Transmission of Escherichia coli O157:H7 from contaminated manure and irrigation water to lettuce plant tissue and its subsequent internalization*. Applied and Environmental Microbiology 68(1): 397-400.
- Steele M, Odomeru J. 2004. *Irrigation water as source of foodborne pathogens on fruit and vegetables*. Journal of Food Protection 67(12): 2839-2849.
- U.S. Environmental Protection Agency [EPA]. 1992. *Manual: Guidelines for Water Reuse*. U.S. EPA, U.S. Agency for International Development, EPA/625/R- 92/004. Retrieved December 19, 2002 from: <http://www.epa.gov/ORD/NRMRL/pubs/625r92004/625R92004prel.pdf>.
- U.S. Food and Drug Administration (FDA). 2001. Production practices as risk factors in microbial food safety of fresh cut and fresh cut produce (Chap. II). In: *Analysis and evaluation of preventive control measures for the control and reduction/elimination of microbial hazards on fresh and fresh-cut produce*. Center for Food Safety and Applied Nutrition. Retrieved December 19, 2002 from: <http://www.cfsan.fda.gov/~comm/ift3-2a.html>.
- Wachtel MR, Whitehand LC, Mandrell RE. 2002a. *Association of Escherichia coli O157:H7 with preharvest leaf lettuce upon exposure to contaminated irrigation water*. Journal of Food Protection 65(1): 18-25.
- Wachtel MR, Whitehand LC, Mandrell RE. 2002b. *Prevalence of Escherichia coli associated with a cabbage crop inadvertently irrigated with partially treated sewage wastewater*. Journal of Food Protection 65(3): 471-475.
- Wang G, Doyle M. 1998. *Survival of enterohemorrhagic Escherichia coli O157:H7 in water*. Journal of Food Protection 61: 662-667.
- Wang G, Zhao T, Doyle M. 1996. *Fate of enterohemorrhagic Escherichia coli O157:H7 in bovine feces*. Applied and Environmental Microbiology 62(7): 2567- 2570.
- Warriner K, Ibrahim F, Dickinson M, Wright C, Waites WM. 2003b. *Interaction of Escherichia coli with growing salad spinach plants*. Journal of Food Protection 66(10): 1790-1797.
- Warrington PD. 2001. *Water Quality: Water Quality Criteria for Microbiological Indicators - Overview Report*. Government of British Columbia, Environmental Protection Division. Retrieved December 19, 2006 from: <http://www.env.gov.bc.ca/wat/wq/BCguidelines/microbiology/microbiology.html>.

WHO [World Health Organization]. 2006. *Guidelines for the safe use of wastewater, excreta and greywater: Wastewater use in agriculture. Vol 2.* Geneva: World Health Organization.

WHO. 2006 *Guidelines for the safe use of wastewater, excreta and greywater: Excreta and greywater use in agriculture. Vol 4.* Geneva: World Health Organization.

WHO. 2000. *Guidelines for the microbiological quality of treated wastewater used in agriculture: recommendations for revising WHO guidelines.* Bulletin of the World Health Organization 78(9): 1104-1116.

WHO. 1989a. *Guidelines for the safe use of wastewater and excreta in agriculture and aquaculture: Measures for public health protection.* Retrieved December 19, 2006 from:  
[http://www.who.int/water\\_sanitation\\_health/wastewater/wasteuse/en/index.html](http://www.who.int/water_sanitation_health/wastewater/wasteuse/en/index.html).

WHO. 1989b. *Health guidelines for the use of wastewater in agriculture and aquaculture.* Technical Report Series 778. Geneva: World Health Organization.

Williamson D. 2002. *Manitoba water quality standards, objectives and guidelines.* Manitoba Conservation, Water Branch. Retrieved December 19, 2006 from: [http://www.gov.mb.ca/waterstewardship/water\\_quality/quality/mwqsog\\_2002.pdf](http://www.gov.mb.ca/waterstewardship/water_quality/quality/mwqsog_2002.pdf).

York D, Parsons L, Walker-Coleman L. 2000. *Irrigating edible crops with reclaimed water.* Florida Water Resources Journal August 2000: 33-36.

## Water for Fluming and Cleaning

Adams MR, Hartley AD, Cox L. 1989. *Factors affecting the efficacy of washing procedures used in the production of prepared salads.* Food Microbiology 6: 69- 77.

Allwood PB, Malik YS, Maherchandani S, Vought K, Johnson L, Braymen C, Hedberg CW, Goyal SM. 2004. *Occurrence of Escherichia coli, noroviruses, and F-specific coliphages in fresh market-ready produce.* Journal of Food Protection 67(11): 2387–2390.

Bartz JA, Showalter RK. 1981. *Infiltration of tomatoes by aqueous bacterial suspensions.* Phytopathology. 71(5): 515-518.

Bartz JA. 1999. *Washing fresh fruits and vegetables: Lessons from treatment of tomatoes and potatoes with water.* Dairy, Food and Environmental Sanitation 19(12): 853-864.

Beuchat LR, Nail BV, Adler BB, Clavero MRS. *Efficacy of spray application of chlorinated water in killing pathogenic bacteria on raw apples, tomatoes, and lettuce.* Journal of Food Protection 61(10): 1305-1311.

Beuchat LR. 1998. *Surface decontamination of fruits and vegetables eaten raw: a review.* Geneva: World Health Organization, WHO/FSF/FOS/98.2.

Brackett RE. 1987. *Antimicrobial effect of chlorine on Listeria monocytogenes*. Journal of Food Protection 57:470-474.

CDC. 1993. *Multistate outbreak of Salmonella serotype Montevideo infections*. EPI-AID 93-79.

Delaquis P, Stewart S, Cazaux S, Toivonen P. 2002. *Survival and growth of Listeria monocytogenes and Escherichia coli O157:H7 in ready-to-eat iceberg lettuce washed in warm chlorinated water*. Journal of Food Protection 65(3): 459- 464.

Gagliardi JV, Millner PD, Lester B, Ingram, D. 2003. *On-farm and postharvest processing sources of bacterial contamination to melon rinds*. Journal of Food Protection 66(1): 82-87.

Garg N, Churey JJ, Splittstoesser DF. 1990. *Effect of processing conditions on the microflora of fresh-cut vegetables*. Journal of Food Protection 53: 701-703.

Gonzalez RJ, Luo Y, Ruiz-Cruz S, McVoyb JL. 2004. *Efficacy of sanitizers to inactivate Escherichia coli O157:H7 on fresh-cut carrot shreds under simulated process water conditions*. Journal of Food Protection 67: (11):2375–2380.

Guo X, Chen J, Brackett RE, Beuchat LR. 2001. *Survival of Salmonellae on and in tomato plants from the time of inoculation at flowering and early stages of fruit development through fruit ripening*. Applied and Environmental Microbiology 67(10): 4760-4764.

Han Y, Linton RH, Nielsen SS, Nelson PE. 2001. *Reduction of Listeria monocytogenes on green peppers (Capsicum annum L.) by gaseous and aqueous chlorine dioxide and water washing and its growth at 7°C*. Journal of Food Protection 64(11): 1730–1738.

Ibarra-Sanchez LS, Alvarado-Casillas S, Rodriguez-Gracia MO, Martinez- Gonzales NE, Castillo A. 2004. *Internalization of bacterial pathogens in tomatoes and their control by selected chemicals*. Journal of Food Protection 67(7): 1352-1358.

Kenney SJ, Burnett SL, Beuchat LR. 2001. *Location of Escherichia coli O157:H7 on and in apples as affected by bruising, washing and rubbing*. Journal of Food Protection 64(9): 1328-1333.

Koseki S, Isobe S, Itoh K. 2004. *Efficacy of acidic electrolyzed water ice for pathogen control on lettuce*. Journal of Food Protection. 67(11): 2544–2549.

Lin C, Moon SS, Doyle MP, McWatters KH. 2002. *Inactivation of Escherichia coli O157:H7, Salmonella enterica serotype enteritidis, and Listeria monocytogenes on lettuce by hydrogen peroxide and lactic acid and by hydrogen peroxide with mild heat*. Journal of Food Protection 65(8): 1215-1220.

McWatters KH, Doyle MP, Walker SL, Rimal AP, Venkitanarayanan K. 2002a. *Consumer acceptance of raw apples treated with an antibacterial solution designed for home use.* Journal of Food Protection 65(1): 106-110.

McWatters KH, Chinnan MS, Walker SL, Doyle MP, Lin C-M. 2002b. *Consumer acceptance of fresh-cut iceberg lettuce treated with 2% hydrogen peroxide and mild heat.* Journal of Food Protection 65(8): 1221-1226.

Park CM, Beuchat LR. 1999. *Evaluation of sanitizers for killing Escherichia coli O157:H7, Salmonella, and naturally occurring microorganisms on cantaloupes, honeydew melons and asparagus.* Dairy, Food and Environmental Sanitation 19(12): 842-847.

Richards GM, Beuchat LR. 2004. *Attachment of Salmonella poona to cantaloupe rind and stem scar tissues as affected by temperature of fruit and inoculum.* Journal of Food Protection 67(7): 1359-1364.

Sabbaa-Srur, A.U.O., J.K. Brecht, S.A. Sargent, and J.A. Bartz. 1993. Recommended chlorine levels for treatment of float-tank water in tomato packinghouses. *Acta Horticult.* 343:337-338

Sapers G. 2001. *Efficacy of washing and sanitizing methods.* Food Technology and Biotechnology 39(4): 305-311.

Seeman BK, Sumner SS, Marini, Kniel KE. 2002. *Internalization of Escherichia coli in apples under natural conditions.* Dairy, Food and Environmental Sanitation 22(9): 667-673.

Solomon EB, Yaron S, Matthews KR. 2002. *Transmission of Escherichia coli O157:H7 from contaminated manure and irrigation water to lettuce plant tissue and its subsequent internalization.* Applied and Environmental Microbiology 68(1): 397-400.

Suslow T. 1997. *Post harvest chlorination: Basic properties and key points from effective disinfection.* University of California: Division of Agriculture and Natural Resources, Publication 8003. Retrieved December 19, 2006 from: <http://anrcatalog.ucdavis.edu/pdf/8003.pdf>.

Suslow T. 2004. *Oxidation-reduction potential (ORP) for water disinfection monitoring, control and documentation.* Division of Agriculture and Natural Resources, Publication 8149. Retrieved July 23, 2009 from: <http://anrcatalog.ucdavis.edu/>

Suslow T. 2000. *Chlorination in the production and postharvest handling of fresh fruits and vegetables: Chapter 6 Fruit and Vegetable Processing*. In: McLaren, D. (Ed.), *Use of Chlorine- Based Sanitizers and Disinfectants in the Food Manufacturing Industry*. Food Processing Center at the University of Nebraska, Lincoln, NE, pp. 2–15.

Venkitanarayanan KS, Lin C-M, Bailey H, Doyle MP. 2002. *Inactivation of Escherichia coli O157:H7, Salmonella enteritidis, and Listeria monocytogenes on apples, oranges, and tomatoes by lactic acid with hydrogen peroxide*. *Journal of Food Protection* 65(1): 100-105.

Wachtel MR, Charkowski AO. 2002. *Cross contamination of lettuce with Escherichia coli O157:H7*. *Journal of Food Protection* 65(3): 465-470.

Warriner K, Ibrahim F, Dickinson M, Wright C, Waites WM. 2003a. *Internalization of human pathogens within growing salad vegetables*. *Biotechnology Genetic Engineering Reviews* 20: 117-134.

Warriner K, Ibrahim F, Dickinson M, Wright C, Waites WM. 2003b. *Interaction of Escherichia coli with growing salad spinach plants*. *Journal of Food Protection* 66(10): 1790-1797.

Wei CI, Huang TS, Kim JM, Lin WF, Tamplin ML, Bartz JA. 1995. *Growth and survival of salmonella Montevideo on tomatoes and disinfection with chlorinated water*. *Journal of Food Protection* 58(8): 829-836.

Wood RC, Hedburg C, White K. 1991. *A multistate outbreak of Salmonella javiana associated with raw tomatoes (Abstract)*. CDC, Epidemic Intelligence Service 40th Annual Conference, Atlanta, GA.

Zhuang RY, Beuchat LR, Angulo FJ. 1995. *Fate of Salmonella Montevideo on and in raw tomatoes as affected by temperature and treatment with chlorine*. *Applied and Environmental Microbiology* 61(6): 2127-2131.